

CYLINDRISKA KUGGHJUL I GJUTJÄRN


CAST IRON SPURGEARS

Modul 1.5 - 5.0
Module 1.5 - 5.0

Ingreppsvinkel 20°
 Pressure angle 20°

Material: Gjutjärn
 Material: Cast Iron

Toleranser: B = H7
 Tolerance: B = H7



	Tandantal No. of teeth	B	N	Dk	Do	Best. Nr. Code	(Nm)	b
MODUL 1.5	95	16	70	145.5	142.5	G-1595-17	-	17
	100	16	70	153.0	150.0	G-15100-17	-	17
	114	16	70	174.0	171.0	G-15114-17	-	17
MODUL 2.0	76	16	70	156.0	152.0	G-2076-20	-	20
	80	16	70	164.0	160.0	G-2080-20	-	20
	95	16	80	194.0	190.0	G-2095-20	-	20
	100	16	80	204.0	200.0	G-20100-20	-	20
	114	16	80	232.0	228.0	G-20114-20	-	20
MODUL 2.5	76	16	80	195.0	190.0	G-2576-25	-	25
	80	16	80	205.0	200.0	G-2580-25	-	25
	95	16	90	242.5	237.5	G-2595-25	-	25
	100	16	90	255.0	250.0	G-25100-25	-	25
	114	16	90	290.0	285.0	G-25114-25	-	25
MODUL 3.0	50	25	80	156.0	150.0	G-3050-30	-	30
	60	25	80	186.0	180.0	G-3060-30	-	30
	76	25	90	234.0	228.0	G-3076-30	-	30
	80	25	90	246.0	240.0	G-3080-30	-	30
	95	25	100	291.0	285.0	G-3095-30	-	30
	100	25	100	306.0	300.0	G-30100-30	-	30
	114	25	100	348.0	342.0	G-30114-30	-	30
MODUL 4.0	38	25	80	160.0	152.0	G-4038-40	-	40
	40	25	80	168.0	160.0	G-4040-40	-	40
	50	25	90	208.0	200.0	G-4050-40	-	40
	60	25	90	248.0	240.0	G-4060-40	-	40
	76	25	100	312.0	304.0	G-4076-40	-	40
	80	25	100	328.0	320.0	G-4080-40	-	40
	95	25	110	388.0	380.0	G-4095-40	-	40
	100	25	110	408.0	400.0	G-40100-40	-	40
MODUL 5.0	114	25	110	464.0	456.0	G-40114-40	-	40
	38	40	100	200.0	190.0	G-5038-50	-	50
	40	40	100	210.0	200.0	G-5040-50	-	50
	50	40	100	260.0	250.0	G-5050-50	-	50
	60	40	110	310.0	300.0	G-5060-50	-	50
	76	40	120	390.0	380.0	G-5076-50	-	50
	80	40	130	410.0	400.0	G-5080-50	-	50
	95	40	130	485.0	475.0	G-5095-50	-	50
100	40	140	510.0	500.0	G-50100-50	-	50	