


# KONISKA RAKSKURNA KUGGHJUL, FORMSPRUTADE

PLASTIC BEVEL GEARS, STRAIGHT CUT INJECTION MOULDED


Material: Polyacetal  
 Material: Polyacetal



Utväxling 1:1 - Ratio 1:1  
 Ingreppsvinkel 20° - Pressure angle 20°

Best. Nr. Code	Modul Module	Tandantal No. of teeth	D	Da	Do	Dk	A	B	b	E	F
KH051616	0.5	16	3	7.0	8	8.7	10.5	6.0	2.0	8.0	8.0
KH101616	1.0	16	5	12.0	16	17.6	18.4	8.0	4.7	13.6	13.6
KH103030	1.0	30	6	15.0	30	31.4	24.8	7.4	7.4	12.9	15.3
KH151616	1.5	16	8	18.5	24	26.4	25.8	10.0	7.0	16.2	18.4
KH201616	2.0	16	10	21.9	32	34.9	30.4	9.6	10.0	18.3	21.2
KH251616	2.5	16	12	25.2	40	43.5	37.0	11.5	12.3	22.9	25.5
KH301616	3.0	16	14	28.8	48	52.3	43.0	13.2	13.8	25.8	29.2
KH351616	3.5	16	18	33.3	56	61.4	49.5	14.4	15.8	28.1	33.1

Från modul 1.5 är axelhålen maskinbearbetade / All prebored holes are machined



Utväxling 1:2 - Ratio 1:2  
 Ingreppsvinkel 20° - Pressure angle 20°

Best. Nr. Code	Modul Module	Tandantal No. of teeth	D	Da	Do	Dk	A	B	b	E	F
KH101530	1.0	15	5	12.2	15.0	16.8	26.4	10.6	6.6	17.0	17.0
	1.0	30	8	18.0	30.0	31.1	20.9	9.1	6.6	14.8	16.2
KH151530	1.5	15	8	17.0	22.5	25.4	35.8	11.5	10.5	22.8	22.8
	1.5	30	10	23.4	45.0	46.4	26.2	9.6	10.5	17.5	19.5
KH201530	2.0	15	10	22.5	30.0	33.6	44.2	11.8	14.6	26.0	27.0
	2.0	30	12	30.2	60.0	62.2	32.6	11.8	14.6	22.6	24.2
KH251530	2.5	15	12	26.5	37.5	42.0	53.3	13.0	17.3	29.6	31.2
	2.5	30	16	36.1	75.0	77.3	40.5	15.0	17.3	27.5	29.5
KH301530	3.0	15	14	31.2	45.0	50.3	63.3	14.8	20.5	35.0	36.3
	3.0	30	18	45.0	90.0	93.0	49.5	19.0	20.5	34.2	37.0

Alla axelhål är maskinbearbetade / All prebored holes are machined