


# FLÄNSLAGER, OVALT UTFÖRANDE

## RHOMBIC FLANGE UNITS

**UCFL 2 • UCFL 3**  
(låsnings med stoppskruv)  
(set screw locking)

**EWFL 2 • EWFL 3**  
(låsnings med excentrisk låsring)  
(eccentric locking collar)

**Axelhåll 12-140mm**  
**Shaft dia. 12-140mm**



Best. nr. Code	Axelhåll Shaft dia.	Mått i mm / Dimensions in mm											Bult st. Bolt size	Vikt Weight kg	
		H	J	L	A	A <sub>1</sub>	A <sub>2</sub>	N	B	B <sub>1</sub>	S	A <sub>6</sub>			H <sub>a</sub>
UCFL 201	12	113	90	60	25.5	12	15	12	31.0	-	12.7	33.3	-	M 10	0.51
UCFL 202	15	113	90	60	25.5	12	15	12	31.0	-	12.7	33.3	-	M 10	0.49
UCFL 203	17	113	90	60	25.5	12	15	12	31.0	-	12.7	33.3	-	M 10	0.48
UCFL 204	20	113	90	60	25.5	12	15	12	31.0	-	12.7	33.3	-	M 10	0.46
EWFL 204	20	113	90	60	25.5	12	15	12	-	43.7	17.1	41.6	33	M 10	0.51
UCFL 205	25	130	99	68	27.0	14	16	16	34.0	-	14.3	35.7	-	M 14	0.63
EWFL 205	25	130	99	68	27.0	14	16	16	-	44.4	17.5	42.9	39	M 14	0.68
UCFL 305	25	150	113	80	29.0	13	16	19	38.0	-	15.0	39.0	-	M 16	0.96
EWFL 305	25	150	113	80	29.0	13	16	19	-	46.8	16.7	46.1	41	M 16	1.03
UCFL 206	30	148	117	80	31.0	14	18	16	38.1	-	15.9	40.2	-	M 14	0.95
EWFL 206	30	148	117	80	31.0	14	18	16	-	48.4	18.3	48.1	45	M 14	1.01
UCFL 306	30	180	134	90	32.0	15	18	23	43.0	-	17.0	44.0	-	M 20	1.36
EWFL 306	30	180	134	90	32.0	15	18	23	-	50.0	17.5	50.5	-	M 20	1.47
UCFL 207	35	161	130	90	34.0	16	19	16	42.9	-	17.5	44.4	-	M 14	1.31
EWFL 207	35	161	130	90	34.0	16	19	16	-	51.1	18.8	51.3	52	M 14	1.43
UCFL 307	35	185	141	100	36.0	16	20	23	48.0	-	19.0	49.0	-	M 20	1.80
EWFL 307	35	185	141	100	36.0	16	20	23	-	51.6	18.3	53.3	-	M 20	1.88
UCFL 208	40	175	144	100	36.0	16	21	16	49.2	-	19.0	51.2	-	M 14	1.69
EWFL 208	40	175	144	100	36.0	16	21	16	-	56.3	21.4	55.9	57	M 14	1.82
UCFL 308	40	200	158	112	40.0	17	23	23	52.0	-	19.0	56.0	-	M 20	2.40
EWFL 308	40	200	158	112	40.0	17	23	23	-	57.1	19.8	60.3	-	M 20	2.60
UCFL 209	45	188	148	113	38.0	18	22	19	49.2	-	19.0	52.2	-	M 16	2.10
EWFL 209	45	188	148	113	38.0	18	22	19	-	56.3	21.4	56.9	62	M 16	2.20
UCFL 309	45	230	177	132	44.0	18	25	25	57.0	-	22.0	60.0	-	M 22	3.30
EWFL 309	45	230	177	132	44.0	18	25	25	-	58.7	19.8	63.9	-	M 22	3.40
UCFL 210	50	197	157	120	40.0	18	22	19	51.6	-	19.0	54.6	-	M 16	2.40
EWFL 210	50	197	157	120	40.0	18	22	19	-	62.7	24.6	60.1	67	M 16	2.60
UCFL 310	50	240	187	144	48.0	19	28	25	61.0	-	22.0	67.0	-	M 22	4.50
EWFL 310	50	240	187	144	48.0	19	28	25	-	66.6	24.6	70.0	-	M 22	4.70
UCFL 211	55	224	184	134	43.0	20	25	19	55.6	-	22.2	58.4	-	M 16	3.40
EWFL 211	55	224	184	134	43.0	20	25	19	-	71.4	27.8	68.6	75	M 16	3.70
UCFL 311	55	250	198	154	52.0	20	30	25	66.0	-	25.0	71.0	-	M 22	5.30
EWFL 311	55	250	198	154	52.0	20	30	25	-	73.0	27.8	75.2	-	M 22	5.50
UCFL 212	60	250	202	144	48.0	20	29	23	65.1	-	25.4	68.7	-	M 20	4.30
EWFL 212	60	250	202	144	48.0	20	29	23	-	77.8	31.0	75.8	83	M 20	4.60
UCFL 312	60	270	212	164	56.0	22	33	31	71.0	-	26.0	78.0	-	M 27	6.50
EWFL 312	60	270	212	164	56.0	22	33	31	-	79.4	31.0	81.4	-	M 27	6.90
UCFL 213	65	258	210	157	50.0	24	30	23	65.1	-	25.4	69.7	-	M 20	5.40
EWFL 213	65	258	210	157	50.0	24	30	23	-	85.7	34.1	81.6	89	M 20	6.80
UCFL 313	65	295	240	186	58.0	25	33	31	75.0	-	30.0	78.0	-	M 27	8.3
EWFL 313	65	295	240	186	58.0	25	33	31	-	85.7	32.5	86.2	-	M 27	8.90
UCFL 214	70	265	216	163	54.0	24	31	23	74.6	-	30.2	75.4	-	M 20	6.30
EWFL 214	70	265	216	163	54.0	24	31	23	-	85.7	34.1	81.6	93	M 20	6.80
UCFL 314	70	315	250	196	61.0	28	36	35	78.0	-	33.0	81.0	-	M 30	9.90
EWFL 314	70	315	250	196	61.0	28	36	35	-	92.1	34.1	94.0	-	M 30	10.60
UCFL 215	75	275	225	168	56.0	24	34	23	77.8	-	33.3	78.5	-	M 20	6.90
EWFL 215	75	275	225	168	56.0	24	34	23	-	92.1	37.3	88.8	100	M 20	7.30
UCFL 315	75	320	260	206	66.0	30	39	35	82.0	-	32.0	89.0	-	M 30	11.40
EWFL 315	75	320	260	206	66.0	30	39	35	-	100.0	37.3	101.7	-	M 30	12.60