

CYLINDRISKA KUGGHJUL I STÅL


STEEL SPURGEARS

Modul 1.5 rakskurna kuggar
Module 1.5 straight toothed

Ingreppsvinkel 20°
 Pressure angle 20°

Material: SS 1672
 Material: SS 1672

Toleranser: B = H7
 Tolerance: B = H7



Antal tänder No of teeth		Best. Nr. Code			Md 1)	Best. Nr. Code			Md 1)	Best. Nr. Code			Md 1)
Z	B	N	Dk	Do	Type 1	(Nm)	Type 2	(Nm)	Type 4	(Nm)			
12	6	14	21.0	18.0	S-1512-17	-	S-1512-12	-	-	-			
13	6	15	22.5	19.5	S-1513-17	-	S-1513-12	-	-	-			
14	6	17	24.0	21.0	S-1514-17	-	S-1514-12	-	-	-			
15	8	18	25.5	22.5	S-1515-17	-	S-1515-12	-	-	-			
16	8	20	27.0	24.0	S-1516-17	-	S-1516-12	-	-	-			
17	8	20	28.5	25.5	S-1517-17	-	-	-	-	-			
18	8	22	30.0	27.0	S-1518-17	-	S-1518-12	-	-	-			
19	8	22	31.5	28.5	S-1519-17	-	-	-	-	-			
20	8	25	33.0	30.0	S-1520-17	-	S-1520-12	-	-	-			
21	8	25	34.5	31.5	S-1521-17	-	S-1521-12	-	-	-			
22	8	28	36.0	33.0	S-1522-17	-	-	-	-	-			
23	8	28	37.5	34.5	S-1523-17	-	-	-	-	-			
24	8	30	39.0	36.0	S-1524-17	-	S-1524-12	-	-	-			
25	10	30	40.5	37.5	S-1525-17	-	S-1525-12	-	-	-			
26	10	30	42.0	39.0	S-1526-17	-	S-1526-12	-	-	-			
27	10	35	43.5	40.5	S-1527-17	-	-	-	-	-			
28	10	35	45.0	42.0	S-1528-17	-	S-1528-12	-	-	-			
29	10	35	46.5	43.5	S-1529-17	-	-	-	-	-			
30	10	35	48.0	45.0	S-1530-17	-	S-1530-12	-	-	-			
31	10	40	49.5	46.5	S-1531-17	-	-	-	-	-			
32	10	40	51.0	48.0	S-1532-17	-	S-1532-12	-	-	-			
33	10	40	52.5	49.5	S-1533-17	-	-	-	-	-			
34	10	40	54.0	51.0	S-1534-17	-	-	-	-	-			
35	10	40	55.5	52.5	S-1535-17	-	-	-	-	-			
36	10	45	57.0	54.0	S-1536-17	-	S-1536-12	-	-	-			
37	10	45	58.5	55.5	S-1537-17	-	-	-	-	-			
38	10	45	60.0	57.0	S-1538-17	-	-	-	-	-			
39	12	45	61.5	58.5	S-1539-17	-	-	-	-	-			
40	12	45	63.0	60.0	S-1540-17	-	S-1540-12	-	-	-			
41	12	50	64.5	61.5	S-1541-17	15.5	-	-	-	-			
42	12	50	66.0	63.0	S-1542-17	16.2	S-1542-12	11.4	-	-			
43	12	50	67.5	64.5	S-1543-17	17.0	S-1543-12	-	-	-			
44	12	50	69.0	66.0	S-1544-17	17.8	-	-	-	-			
45	12	50	70.5	67.5	S-1545-17	18.6	S-1545-12	13.1	-	-			
46	12	55	72.0	69.0	S-1546-17	19.4	-	-	-	-			
47	12	55	73.5	70.5	S-1547-17	20.2	-	-	-	-			
48	12	55	75.0	72.0	S-1548-17	21.0	S-1548-12	14.8	-	-			
49	12	55	76.5	73.5	S-1549-17	21.8	-	-	-	-			
50	12	55	78.0	75.0	S-1550-17	22.7	S-1550-12	16.0	-	-			
51	12	60	79.5	76.5	S-1551-17	-	-	-	-	-			
52	12	60	81.0	78.0	S-1552-17	-	S-1552-12	-	-	-			
53	12	60	82.5	79.5	S-1553-17	-	-	-	-	-			
54	12	60	84.0	81.0	S-1554-17	26.3	S-1554-12	18.6	-	-			
55	12	60	85.5	82.5	S-1555-17	-	-	-	-	-			
56	12	60	87.0	84.0	S-1556-17	28.2	S-1556-12	19.9	-	-			
57	12	60	88.5	85.5	S-1557-17	29.2	-	-	-	-			
58	15	60	90.0	87.0	S-1558-17	-	-	-	-	-			
59	15	60	91.5	88.5	S-1559-17	-	-	-	-	-			
60	15	60	93.0	90.0	S-1560-17	32.1	S-1560-12	22.7	-	-			
61	15	70	94.5	91.5	S-1561-17	-	-	-	-	-			
62	15	70	96.0	93.0	S-1562-17	-	-	-	-	-			
63	15	70	97.5	94.5	S-1563-17	-	-	-	-	-			
64	15	70	99.0	96.0	S-1564-17	36.4	S-1564-12	25.7	-	-			
65	15	70	100.5	97.5	S-1565-17	-	-	-	-	-			
66	15	70	102.0	99.0	S-1566-17	-	-	-	-	-			
67	15	70	103.5	100.5	S-1567-17	-	-	-	-	-			
68	15	70	105.0	102.0	S-1568-17	-	-	-	-	-			
69	15	70	106.5	103.5	S-1569-17	-	-	-	-	-			
70	15	70	108.0	105.0	S-1570-17	42.9	-	-	-	-			
72	15	70	111.0	108.0	S-1572-17	45.3	S-1572-12	32.0	-	-			
75	20	70	115.5	112.5	S-1575-17	48.7	-	-	SP-1575-17	48.7			
76	20	70	117.0	114.0	S-1576-17	-	-	-	SP-1576-17	-			
78	20	80	120.0	117.0	S-1578-17	-	-	-	-	-			
80	20	80	123.0	120.0	S-1580-17	55.0	S-1580-12	38.8	SP-1580-17	55.0			
82	20	80	126.0	123.0	-	-	-	-	SP-1582-17	-			
84	20	80	123.0	120.0	-	-	S-1584-12	40.9	-	-			
85	20	-	130.5	127.5	-	-	-	-	SP-1585-17	-			
90	20	80	138.0	135.0	S-1590-17	-	-	-	SP-1590-17	-			
95	20	-	145.5	142.5	-	-	-	-	SP-1595-17	-			
96	20	90	147.0	144.0	-	-	S-1596-12	42.9	-	-			
100	20	100	153.0	150.0	S-15100-17	-	-	-	SP-15100-17	-			
112	20	100	171.0	168.0	S-15112-17	-	S-15112-12	-	-	-			
114	20	100	174.0	171.0	S-15114-17	-	-	-	SP-15114-17	-			
120	20	100	183.0	180.0	-	-	S-15120-12	68.4	SP-15120-17	91.2			
127	20	-	193.5	190.5	-	-	-	-	SP-15127-17	-			

1) Med säkerhetsfaktor 1.4 för kuggfotsutmattning.

1) With safetyfactor 1.4 for tooth root stress.