

KEDJEHJUL FÖRBORRADE

STANDARD SPROCKETS

BESTÄLLNINGSEXEMPEL: Ange **S, D, T** alt. **P** plus kedjelning och tandantal ex. **S-58-26** alt. **P-58-50**
 HOW TO ORDER: Specify **S, D, T** or **P** plus chain pitch and no. of teeth ex. **P-58-26** alt. **P-58 50**

Kedja Nr. / Chain No.
 ISO 10B
 5/8" x 3/8"

Kedjehjul mm

- Tandradie r3 16
- Radie C 1.6
- Tandbredd B1 9.1
- Tandbredd b1 9.0
- Tandbredd B2 25.5
- Tandbredd B3 42.1

Sprocket mm




- Tooth Radius r3 16
- Radius C 1.6
- Tooth Width B1 9.1
- Tooth Width b1 9.0
- Tooth Width B2 25.5
- Tooth Width B3 42.1

Kedja mm

- Delning 15.875
- Inv. bredd 9.65
- Rulldiam. 10.16

Chain mm

- Pitch 15.875
- Inside (or internal) 9.65
- Roller dia. 10.16



Tandantal No. of teeth Z	Dy	Do	Simplex= S			Duplex= D			Triplex= T			Plant= P Plate= P	Tandantal No. of teeth Z
			dm	D1	A	dm	D2	A	dm	D3	A	D1	
8	48.4	41.48	25	10	25	25	12	40	25	12	55	10	8
9	53.3	46.42	30	10	25	30	12	40	30	12	55	10	9
10	58.3	51.37	35	10	25	35	12	40	35	16	55	10	10
11	63.2	56.34	37	12	30	39	16	40	39	16	55	10	11
12	68.2	61.34	42	12	30	44	16	40	44	16	55	10	12
13	73.2	66.32	47	12	30	49	16	40	49	16	55	10	13
14	78.2	71.34	52	12	30	54	16	40	54	16	55	12	14
15	83.2	76.36	57	12	30	59	16	40	59	16	55	12	15
16	88.3	81.37	60	12	30	64	16	45	64	16	60	12	16
17	93.3	86.39	60	12	30	69	16	45	69	16	60	12	17
18	98.3	91.42	70	14	30	74	16	45	74	16	60	12	18
19	103.3	96.45	70	14	30	79	16	45	79	16	60	12	19
20	108.4	101.49	75	14	30	84	16	45	84	16	60	12	20
21	113.4	106.52	75	16	30	85	20	45	85	20	60	12	21
22	118.4	111.55	80	16	30	90	20	45	90	20	60	12	22
23	123.5	116.58	80	16	30	95	20	45	95	20	60	12	23
24	128.5	121.62	80	16	30	100	20	45	100	20	60	12	24
25	133.6	126.66	80	16	30	105	20	45	105	20	60	12	25
26	138.6	131.70	85	20	35	110	20	45	110	20	60	16	26
27	143.6	136.75	85	20	35	110	20	45	110	20	60	16	27
28	148.7	141.78	90	20	35	115	20	45	115	20	60	16	28
29	153.7	146.83	90	20	35	115	20	45	115	20	60	16	29
30	158.8	151.87	90	20	35	120	20	45	120	20	60	16	30
31	163.8	156.92	95	20	35	120	20	45	120	20	60	16	31
32	168.9	161.95	95	20	35	120	20	45	120	20	60	16	32
33	173.9	167.00	95	20	35	120	20	45	120	20	60	16	33
34	178.9	172.05	95	20	35	120	20	45	120	20	60	16	34
35	184.0	177.10	95	20	35	120	20	45	120	20	60	16	35
36	189.0	182.15	100	20	35	120	20	45	120	25	60	20	36
37	194.1	187.20	100	20	35	120	20	45	120	25	60	20	37
38	199.1	192.24	100	20	35	120	20	45	120	25	60	20	38
39	204.2	197.29	100	20	35	120	20	45	120	25	60	20	39
40	209.2	202.34	100	20	35	120	20	45	120	25	60	20	40
41	214.8	207.39	100	20	35							20	41
42	219.9	212.44	100	20	35							20	42
43	224.9	217.49	100	20	35							20	43
44	230.0	222.53	100	20	35							20	44
45	235.0	227.58	110	20	35				120	25	60	20	45
46	240.1	232.63	110	20	35	120	20	45	120	25	60	20	46
47	245.1	237.68										20	47
48	250.2	242.73	110	20	35	120	20	45				20	48
49	255.2	247.78										20	49
50	260.3	252.82	110	25	35	120	20	45				20	50
51	265.3	257.87										20	51
52	270.4	262.92										20	52
53	275.4	267.97										20	53
54	280.5	273.03	110	25	35	120	20	45				20	54
55	285.5	278.08	110	25	35							20	55
56	290.6	283.13										25	56
57	296.0	288.18	110	25	35	120	20	45	120	25	60	25	57
58	300.7	293.23										25	58
59	305.7	298.27										25	59
60	310.8	303.32	110	25	35							25	60
62	321.4	313.43										25	62
64	331.5	323.53	110	25	35							25	64
65	336.5	328.58										25	65
66	341.6	333.63										25	66
68	351.7	343.74										25	68
70	361.8	353.84										25	70
72	371.9	363.95										25	72
75	387.1	379.09										25	75
76	392.1	384.16	110	25	35	120	20	45	120	25	60	25	76
78	402.2	394.25										25	78
80	412.3	404.35										25	80
85	437.6	429.62										30	85
90	462.8	454.88										30	90
95	488.5	480.14	110	25	35	120	20	45	120	25	60	30	95
100	513.4	505.40										30	100
110	563.9	555.92										30	110
114	584.1	576.13	110	25	35	120	20	45	120	25	60	30	114
120	614.8	606.44										30	120
125	639.7	631.71										30	125