



KILREMSSKIVOR FÖR KONISK KLÄMBUSSNING

V-BELT PULLEYS FOR TAPER BUSH


Profil Z/SPZ/3V
Profile Z/SPZ/3V




Utf. / Type 1




Utf. / Type 2




Utf. / Type 3



Utf. / Type 4



Utf. / Type 6



Utf. / Type 9

Do	Ant. spår Grooves	Buss. Nr. Bush No.	Best. Nr. Code	Max A-hål Max bore	Typ Type	B	J	K	L	M	N	Vikt Weight
50	1	1008	1SPZ50	25	9	16	26	15	37.0	-	60	0.3
	2	1008	2SPZ50	25	9	28	26	27	49.0	-	60	0.4
56	1	1008	1SPZ56	25	9	16	30	15	37.0	-	60	0.4
	2	1108	2SPZ56	28	9	28	30	27	49.0	-	60	0.5
60	1	1008	1SPZ60	25	1	16	-	-	22.0	6.0	55	0.2
	2	1108	2SPZ60	28	9	28	34	27	49.0	-	64	0.6
63	1	1108	1SPZ63	28	1	16	-	-	22.0	6.0	60	0.2
	2	1108	2SPZ63	28	3	28	37	6	22.0	-	-	0.3
	3	1108	3SPZ63	28	3	40	37	18	22.0	-	-	0.4
67	1	1108	1SPZ67	28	1	16	-	-	22.0	6.0	60	0.3
	2	1108	2SPZ67	28	3	28	38	6	22.0	-	-	0.4
	3	1108	3SPZ67	28	3	40	38	18	22.0	-	-	0.5
71	1	1108	1SPZ71	28	1	16	-	-	22.0	6.0	60	0.3
	2	1108	2SPZ71	28	3	28	42	6	22.0	-	-	0.4
	3	1108	3SPZ71	28	3	40	42	18	22.0	-	-	0.6
75	1	1108	1SPZ75	28	1	16	-	-	22.0	6.0	60	0.4
	2	1210	2SPZ75	32	3	28	46	3	25.0	-	-	0.4
	3	1210	3SPZ75	32	3	40	46	15	25.0	-	-	0.5
80	1	1210	1SPZ80	32	1	16	-	-	26.5	10.5	75	0.5
	2	1210	2SPZ80	32	3	28	51	3	25.0	-	-	0.6
	3	1210	3SPZ80	32	3	40	51	15	25.0	-	-	0.7
	4	1210	4SPZ80	32	3	52	51	27	25.0	-	-	0.8
85	1	1210	1SPZ85	32	1	16	-	-	25.0	9.0	83	0.6
	2	1610	2SPZ85	42	3	28	56	3	25.0	-	-	0.5
	3	1610	3SPZ85	42	3	40	56	15	25.0	-	-	0.6
	4	1610	4SPZ85	42	3	52	56	27	25.0	-	-	0.9
	5	1610	5SPZ85	42	3	64	56	39	25.0	-	-	1.0
90	1	1210	1SPZ90	32	1	16	-	-	26.5	10.5	83	0.7
	2	1610	2SPZ90	42	3	28	61	3	25.0	-	-	0.7
	3	1610	3SPZ90	42	3	40	61	15	25.0	-	-	0.8
	4	1610	4SPZ90	42	3	52	61	27	25.0	-	-	1.0
	5	1610	5SPZ90	42	3	64	61	39	25.0	-	-	1.2
95	1	1210	1SPZ95	32	1	16	-	-	26.5	10.5	83	0.7
	2	1610	2SPZ95	42	3	28	66	3	25.0	-	-	0.8
	3	1610	3SPZ95	42	3	40	66	15	25.0	-	-	0.9
	4	1610	4SPZ95	42	3	52	66	27	25.0	-	-	1.1
	5	1610	5SPZ95	42	3	64	66	39	25.0	-	-	1.3
100	1	1210	1SPZ100	32	1	16	-	-	25.0	9.0	83	0.8
	2	1610	2SPZ100	42	3	28	71	3	25.0	-	-	0.9
	3	1610	3SPZ100	42	3	40	71	15	25.0	-	-	1.1
	4	1610	4SPZ100	42	3	52	71	27	25.0	-	-	1.1
	5	2012	5SPZ100	50	3	64	71	32	32.0	-	-	1.3
	6	2012	6SPZ100	50	3	76	71	44	32.0	-	-	1.4
106	1	1610	1SPZ106	42	1	16	-	-	25.0	9.0	83	0.9
	2	1610	2SPZ106	42	3	28	-	-	28.0	-	-	1.1
	3	1610	3SPZ106	42	3	40	77	15	25.0	-	-	1.3
	4	1610	4SPZ106	42	3	52	77	27	25.0	-	-	1.3
	5	2012	5SPZ106	50	3	64	77	32	32.0	-	-	1.5
	6	2012	6SPZ106	50	3	76	77	44	32.0	-	-	1.6
112	1	1610	1SPZ112	42	1	16	-	-	25.0	9.0	92	1.0
	2	1610	2SPZ112	42	3	28	83	3	25.0	-	-	1.3
	3	2012	3SPZ112	50	3	40	83	8	32.0	-	-	1.3
	4	2012	4SPZ112	50	3	52	83	20	32.0	-	-	1.5
	5	2012	5SPZ112	50	3	64	83	32	32.0	-	-	1.8
	6	2012	6SPZ112	50	3	76	83	44	32.0	-	-	1.9

Do	Ant. spår Grooves	Buss. Nr. Bush No.	Best. Nr. Code	Max A-hål Max bore	Typ Type	B	J	K	L	M	N	Vikt Weight
118	1	1610	1SPZ118	42	1	16	-	-	25.0	9.0	92	0.9
	2	1610	2SPZ118	42	3	28	89	3	25.0	-	-	1.3
	3	2012	3SPZ118	50	3	40	89	8	32.0	-	-	1.6
	4	2012	4SPZ118	50	3	52	89	20	32.0	-	-	1.8
	5	2012	5SPZ118	50	3	64	89	32	32.0	-	-	1.8
	6	2517	6SPZ118	65	3	76	89	31	45.0	-	-	2.0
125	1	1610	1SPZ125	42	1	16	-	-	25.0	9.0	92	1.0
	2	1610	2SPZ125	42	3	28	96	3	25.0	-	-	1.4
	3	2012	3SPZ125	50	2	40	96	-	32.0	8.0	-	1.8
	4	2012	4SPZ125	50	2	52	96	-	32.0	20.0	-	2.2
	5	2012	5SPZ125	50	3	64	96	32	32.0	-	-	2.3
	6	2517	6SPZ125	65	3	76	96	31	45.0	-	-	2.5
132	1	1610	1SPZ132	42	1	16	-	-	25.0	9.0	92	1.1
	2	1610	2SPZ132	42	3	28	111	3	25.0	-	-	1.5
	3	2012	3SPZ132	50	2	40	111	-	32.0	8.0	-	2.3
	4	2012	4SPZ132	50	2	52	111	-	32.0	20.0	-	2.5
	5	2517	5SPZ132	65	3	64	111	19	45.0	-	-	2.7
	6	2517	6SPZ132	65	3	76	111	31	45.0	-	-	2.9
140	1	1610	1SPZ140	42	1	16	-	-	25.0	9.0	92	1.2
	2	1610	2SPZ140	42	2	28	111	-	25.0	3.0	-	1.7
	3	2012	3SPZ140	50	2	40	111	-	32.0	8.0	-	2.6
	4	2012	4SPZ140	50	2	52	111	-	32.0	20.0	-	2.9
	5	2517	5SPZ140	65	2	64	111	-	45.0	19.0	-	3.2
	6	2517	6SPZ140	65	2	76	111	-	45.0	31.0	-	3.5
	8	2517	8SPZ140	65	4	100	111	27.5	45.0	27.5	-	4.0
150	1	1610	1SPZ150	42	1	16	-	-	25.0	9.0	92	1.2
	2	2012	2SPZ150	50	1	28	-	-	33.5	5.5	112	2.0
	3	2012	3SPZ150	50	2	40	121	-	32.0	8.0	-	3.1
	4	2517	4SPZ150	65	2	52	121	-	45.0	7.0	-	3.7
	5	2517	5SPZ150	65	2	64	121	-	45.0	19.0	-	4.0
	6	2517	6SPZ150	65	2	76	121	-	45.0	31.0	-	4.4
	8	2517	8SPZ150	65	4	100	121	27.5	45.0	27.5	-	5.1
160	1	1610	1SPZ160	42	1	16	-	-	25.0	9.0	92	1.3
	2	2012	2SPZ160	50	1	28	-	-	32.0	4.0	112	2.5
	3	2012	3SPZ160	50	2	40	131	-	32.0	8.0	-	3.6
	4	2517	4SPZ160	65	2	52	131	-	45.0	7.0	-	4.4
	5	2517	5SPZ160	65	2	64	131	-	45.0	19.0	-	4.8
	6	2517	6SPZ160	65	2	76	131	-	45.0	31.0	-	5.2
	8	2517	8SPZ160	65	4	100	131	27.5	45.0	27.5	-	5.6
170	1	1610	1SPZ170	42	1	16	-	-	25.0	9.0	92	1.5
	2	2012	2SPZ170	50	1	28	-	-	32.0	4.0	112	2.5
	3	2012	3SPZ170	50	6	40	141	-	32.0	8.0	112	4.2
	4	2517	4SPZ170	65	2	52	141	-	45.0	7.0	-	5.3
	5	2517	5SPZ170	65	2	64	141	-	45.0	19.0	-	5.9
	6	2517	6SPZ170	65	2	76	141	-	45.0	31.0	-	6.5
	8	2517	8SPZ170	65	4	100	141	27.5	45.0	27.5	-	6.8
180	1	1610	1SPZ180	42	1	16	-	-	25.0	9.0	92	1.6
	2	2012	2SPZ180	50	1	28	-	-	32.0	4.0	112	2.5
	3	2012	3SPZ180	50	6	40	151	-	32.0	8.0	112	4.8
	4	2517	4SPZ180	65	6	52	151	-	45.0	7.0	124	6.1
	5	2517	5SPZ180	65	6	64	151	-	45.0	19.0	124	6.3
	6	2517	6SPZ180	65	6	76	151	-	45.0	31.0	124	6.8
	8	3020	8SPZ180	75	4	100	151	24.5	51.0	24.5	-	7.1